

**BREXAFEMME  
(ibrexafungerp)**

*Patients who have filled at least a 1-day supply of fluconazole in the last 30 days are exempt from these Prior Authorization (PA) requirements.*

**Pre - PA Allowance**

None

**Prior-Approval Requirements**

*Patients who have filled at least a 1-day supply of fluconazole in the last 30 days are exempt from these Prior Authorization (PA) requirements.*

**Age** 18 years of age or older **OR** post onset of menses

**Diagnoses**

Patient must have **ONE** of the following:

1. Vulvovaginal candidiasis (VVC)
2. Recurrent vulvovaginal candidiasis (RVVC)
  - a. Used to reduce the incidence of RVVC

**AND ALL** of the following:

1. Inadequate treatment response, intolerance, or contraindication to fluconazole
2. **NOT** being used in a footbath
3. Females of reproductive potential **only**: patient will be advised to use effective contraception during treatment with Brexafemme and for 4 days after the last dose

**Prior - Approval Limits**

Indication	Quantity	Duration
Vulvovaginal candidiasis (VVC)	4 tablets	7 days
Recurrent vulvovaginal candidiasis (RVVC)	12 tablets per 90 days	6 months

**Prior – Approval *Renewal* Requirements**

**BREXAFEMME  
(ibrexafungerp)**

*Each prior authorization (PA) request for Vulvovaginal candidiasis (VVC) is considered initiation of therapy due to the acute nature of the infection*

**Age** 18 years of age or older **OR** post onset of menses

**Diagnosis**

Patient must have the following:

1. Recurrent vulvovaginal candidiasis (RVVC)
  - a. Used to reduce the incidence of RVVC

**AND ALL** of the following:

1. Prescriber has determined that the patient will benefit from an additional 6 months of therapy for prevention of RVVC
2. **NOT** being used in a footbath
3. Females of reproductive potential **only**: patient will be advised to use effective contraception during treatment with Brexafemme and for 4 days after the last dose

**Prior - Approval *Renewal* Limits**

*Each prior authorization (PA) request for Vulvovaginal candidiasis (VVC) is considered initiation of therapy due to the acute nature of the infection*

<b>Indication</b>	<b>Quantity</b>	<b>Duration</b>
Recurrent vulvovaginal candidiasis (RVVC)	12 tablets per 90 days	6 months ( <b>ONE</b> renewal only)

## CONTINUOUS GLUCOSE MONITORS (CGM) AND SUPPLIES

### Dexcom G6, Dexcom G7, Freestyle Libre 14 day, Freestyle Libre 2, Freestyle Libre 3

Refer to the durable medical equipment benefit (DME) for coverage of all other CGM monitors and supplies.

## Pre - PA Allowance

None

---

## Prior-Approval Requirements

*Patients who have filled at least one cumulative  $\geq 84$  day supply of a single insulin, a glucagon-like peptide-1 (GLP-1) agonist injection indicated for the treatment of diabetes mellitus, or an insulin/GLP-1 combination injection **OR** have filled CGM/CGM supplies in the past 180 days are exempt from these Prior Authorization (PA) requirements up to the PA quantity limits.*

## Diagnoses

Patient must have **ONE** of the following:

1. Type 1 Diabetes Mellitus
2. Type 2 Diabetes Mellitus **AND ALL** of the following:
  - a. Insulin and/or GLP-1 agonist dependent with **ONE** of the following:
    - i. > 3 insulin injections per day
    - ii. Insulin pump therapy with frequent dosage adjustments for > 6 months
    - iii. GLP-1 agonist injections, with or without insulin (See Appendix 1)
  - b. Diabetes is uncontrolled AND patient has a documented average frequency of glucose self-testing at least 5 times per day during the previous two months
  - c. HbA1c > 7.0% **OR** frequent hypoglycemic episodes
  - d. Patient has completed a comprehensive diabetes education program
  - e. Patient will share device readings with physician or healthcare professional as part of overall diabetes management
  - f. **NO** dual therapy with blood glucose test strips at Prior Authorization (PA) quantities

## Prior - Approval Limits Quantity

## CONTINUOUS GLUCOSE MONITORS (CGM) AND SUPPLIES

### Dexcom G6, Dexcom G7, Freestyle Libre 14 day, Freestyle Libre 2, Freestyle Libre 3

Refer to the durable medical equipment benefit (DME) for coverage of all other CGM monitors and supplies.

System	Quantity Limit
Freestyle Libre 14 day	1 Monitor* per 365 days <b>AND</b> 6 sensors per 84 days
Freestyle Libre 2	
Freestyle Libre 3	
Dexcom G6	1 Monitor per 365 days <b>AND</b> 9 sensors per 90 days <b>AND</b> 1 transmitter* per 90 days
Dexcom G7	

*\*Not all systems require each component listed in this policy. Please refer to the documentation supplied with chosen system for its specific required components*

**Duration** 12 months

---

## Prior – Approval *Renewal* Requirements

### Diagnoses

Patient must have **ONE** of the following:

1. Type 1 Diabetes Mellitus
2. Type 2 Diabetes Mellitus

**AND** the following for **ALL** diagnoses:

1. **NO** dual therapy with blood glucose test strips at Prior Authorization (PA) quantities

## Prior - Approval *Renewal* Limits

Same as above

## CONTINUOUS GLUCOSE MONITORS (CGM) AND SUPPLIES

**Dexcom G6, Dexcom G7, Freestyle Libre 14 day, Freestyle Libre 2, Freestyle Libre 3**

Refer to the durable medical equipment benefit (DME) for coverage of all other CGM monitors and supplies.

### Appendix 1 -

#### Injectable GLP-1 Receptor Agonists Indicated for the Treatment of Diabetes Mellitus

Generic Name	Brand Name
Dulaglutide	Trulicity
Exenatide	Byetta
Exenatide ER	Bydureon, Bydureon BCise
Insulin Degludec and Liraglutide	Xultophy
Insulin Glargine and Lixisenatide	Soliqua
Liraglutide	Victoza
Lixisenatide	Adlyxin
Semaglutide	Ozempic
Tirzepatide	Mounjaro

**CONDOMS**  
**External (Male) Condoms, FC2 Female Condom**

**Pre - PA Allowance**

**Quantity** 48 internal **OR** external condoms per 90 days

---

**Prior-Approval Requirements**

**Diagnosis**

Patient must have the following:

1. Patient has a clinical need for more than 48 condoms in 90 days, such as increased sexual activity, condom breakage, etc.

**Prior - Approval Limits**

**Quantity** 96 internal **OR** external condoms per 90 days

**Duration** 12 months

---

**Prior – Approval *Renewal* Requirements**

Same as above

**Prior - Approval *Renewal* Limits**

Same as above

**DIABETES TEST STRIPS****Pre - PA Allowance****Quantity** 6 test strips per day

---

**Prior-Approval Requirements****Diagnosis**

Patient must have the following:

Diabetes

**AND ALL** of the following must be provided

- 1) Directions for Use
- 2) Quantity required per 90 days
- 3) Reason for testing >6 times per day
- 4) NO dual therapy with Continuous Glucose Monitors (CGM) and/or Continuous Glucose Monitor supplies

**Prior - Approval Limits****Quantity** Up to 918 test strips every 90 days**Duration** 6 months for gestational diabetes  
1 year for other types of diabetes

---

**Prior – Approval *Renewal* Requirements**

Same as above

**Prior – Approval *Renewal* Limits**

Same as above

## HYALURONIC ACID DERIVATIVES

Durolane, Euflexxa, **GelSyn-3**, GenVisc 850, **Hyalgan**, Sodium Hyaluronate, **Supartz**, Synjoynt, Triluron, TriVisc, Visco-3 (sodium hyaluronate)

**Gel-ONE**, Hymovis, Monovisc, Orthovisc (hyaluronan)

Synvisc, Synvisc-One (hylan G-F 20)

Bolded medications are the preferred products for claims adjudicated through the pharmacy benefit.

## Pre - PA Allowance

None

---

## Prior-Approval Requirements

**Age** 18 years or older (22 or older for Synvisc, Synvisc-One, and TriVisc)

### Diagnosis

Patient must have the following:

Osteoarthritis of the knee

**AND ALL** of the following:

1. Inadequate response to **TWO** or more of the following conservative non-pharmacologic therapy:
  - a. Cardiovascular (aerobic) activity, such as: walking, biking, stationary bike, aquatic exercise
  - b. Resistance exercise
  - c. Weight reduction (for persons who are overweight)
  - d. Participation in self-management programs
  - e. Wear of medially directed patellar taping
  - f. Wear of wedged insoles
  - g. Thermal agents
  - h. Walking aids
  - i. Physical therapy
  - j. Occupational therapy
  
2. Inadequate response, intolerance, or contraindication to **TWO** or more of the following:
  - a. Acetaminophen
  - b. Oral NSAIDs



### HYALURONIC ACID DERIVATIVES

Durolane, Euflexxa, **GelSyn-3**, GenVisc 850, **Hyalgan**, Sodium Hyaluronate, **Supartz**, Synjoynt, Triluron, TriVisc, Visco-3 (sodium hyaluronate)

**Gel-ONE**, Hymovis, Monovisc, Orthovisc (hyaluronan)

Synvisc, Synvisc-One (hylan G-F 20)

Bolded medications are the preferred products for claims adjudicated through the pharmacy benefit.

#### c. Topical NSAIDs

3. Inadequate response, intolerance, or contraindication to intra-articular steroid injections in which efficacy lasted less than 8 weeks
4. Radiologic confirmation of Kellgren-Lawrence Scale score of grade 2 or greater
5. NO dual therapy with another hyaluronic acid injectable
6. **Non-preferred medications only:** Patient **MUST** have tried at least **TWO** of the preferred products if adjudicated through the pharmacy benefit unless the patient has a valid medical exception (e.g. inadequate treatment response, intolerance, contraindication)

### Prior - Approval Limits

**Duration** 12 months

**Quantity** One course of therapy for each knee

---

### Prior – Approval *Renewal* Requirements

**Age** 18 years or older (22 or older for Synvisc, Synvisc-One, and TriVisc)

#### Diagnosis

Patient must have the following:

Osteoarthritis of the knee

**AND ALL** of the following:

1. Documentation of improvement in pain with previous course of treatment
2. At least 12 months has elapsed since last injection of the prior treatment cycle

### **HYALURONIC ACID DERIVATIVES**

Durolane, Euflexxa, **GelSyn-3**, GenVisc 850, **Hyalgan**, Sodium Hyaluronate, **Supartz**, Synjoynt, Triluron, TriVisc, Visco-3 (sodium hyaluronate)

**Gel-ONE**, Hymovis, Monovisc, Orthovisc (hyaluronan)

Synvisc, Synvisc-One (hylan G-F 20)

Bolded medications are the preferred products for claims adjudicated through the pharmacy benefit.

3. Documentation of reduction of dosing of NSAIDs or other analgesics during the 12 month period following the last injection of the prior treatment cycle.
4. **NO** dual therapy with another hyaluronic acid injectable
5. **Non-preferred medications only:** Patient **MUST** have tried at least **TWO** of the preferred products if adjudicated through the pharmacy benefit unless the patient has a valid medical exception (e.g. inadequate treatment response, intolerance, contraindication)

### **Prior – Approval *Renewal* Limits**

Same as above

## OPIOID COUGH MEDICATIONS

Codeine with phenylephrine and promethazine, Codeine with promethazine, FlowTuss\* (hydrocodone bitartrate, guaifenesin), Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin), Hydromet (hydrocodone bitartrate, homatropine), Obredon\* (hydrocodone bitartrate, guaifenesin), TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex), Tussionex (hydrocodone bitartrate, homatropine), Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine), Tuxarin ER, Tuzistra XR (codeine, chlorpheniramine), Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)

\* Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

### Pre - PA Allowance

**Age** 12 years of age or older

**Quantity**

Drug Name	Quantity Limit
Codeine with phenylephrine and promethazine	32 ounces (960 mL) per 90 days <b>OR</b>
Codeine with promethazine	
Hydrocodone bitartrate, guaifenesin (generic FlowTuss)	
Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin)	
Hydromet (hydrocodone bitartrate, homatropine)	
Hydrocodone bitartrate, guaifenesin (generic Obredon)	
Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine)	
Tuzistra XR (codeine, chlorpheniramine)	
Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)	
TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex)	90 capsules/tablets per 90 days
Tussionex tablets (hydrocodone bitartrate, homatropine)	
Tuxarin ER tablets (codeine, chlorpheniramine)	

### Prior-Approval Requirements

*Prior authorization is not required if prescribed by an oncologist and/or the member has paid pharmacy claims for an oncology medication(s) in the past 6 months*

**Age** 18 years of age or older

## OPIOID COUGH MEDICATIONS

Codeine with phenylephrine and promethazine, Codeine with promethazine, FlowTuss\* (hydrocodone bitartrate, guaifenesin), Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin), Hydromet (hydrocodone bitartrate, homatropine), Obredon\* (hydrocodone bitartrate, guaifenesin), TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex), Tussigon (hydrocodone bitartrate, homatropine), Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine), Tuxarin ER, Tuzistra XR (codeine, chlorpheniramine), Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)

\* Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

### Diagnosis

Patient must have the following:

Cough

**AND ALL** of the following:

1. **NO** dual therapy with other opioid analgesic(s)
2. Alternative treatment options have been ineffective, not tolerated or inadequate for controlling the patient's cough
  - a. These include: Over-the-counter medications (dextromethorphan), and legend medications (benzonatate)
3. Prescriber agrees to assess patient for serotonin syndrome (see Appendix 1)
4. **NO** dual therapy with opioid addiction treatment or methadone
5. **NO** dual therapy with an anti-anxiety benzodiazepine(s)
  - a. Alprazolam (Xanax)
  - b. Clonazepam (Klonopin)
  - c. Diazepam (Valium)
  - d. Lorazepam (Ativan)
  - e. Oxazepam (Serax)
  - f. Chlordiazepoxide (Librium)
  - g. Clorazepate dipotassium (Tranxene)

### Prior - Approval Limits

#### Quantity

Drug Name	Quantity Limit
Codeine with phenylephrine and promethazine	64 ounces
Codeine with promethazine	(1920 mL)
Hydrocodone bitartrate, guaifenesin (generic FlowTuss)	per 90 days <b>OR</b>

### OPIOID COUGH MEDICATIONS

Codeine with phenylephrine and promethazine, Codeine with promethazine, FlowTuss\* (hydrocodone bitartrate, guaifenesin), Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin), Hydromet (hydrocodone bitartrate, homatropine), Obredon\* (hydrocodone bitartrate, guaifenesin), TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex), Tussigon (hydrocodone bitartrate, homatropine), Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine), Tuxarin ER, Tuzistra XR (codeine, chlorpheniramine), Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)

\* Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin)		
Hydromet (hydrocodone bitartrate, homatropine)		
Hydrocodone bitartrate, guaifenesin (generic Obredon)		
Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine)		
Tuzistra XR (codeine, chlorpheniramine)		
Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)		
TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex)		180 capsules/tablets per 90 days
Tussigon tablets (hydrocodone bitartrate, homatropine)		
Tuxarin ER tablets (codeine, chlorpheniramine)		

<b>Drug with approved MFE only</b>	<b>Quantity</b>
FlowTuss	64 ounces (1920 mL) per 90 days
Obredon	64 ounces (1920 mL) per 90 days

**Duration** 6 months

### **Prior – Approval *Renewal* Requirements**

Same as above

### **Prior - Approval *Renewal* Limits**

Same as above

## OPIOID COUGH MEDICATIONS

Codeine with phenylephrine and promethazine, Codeine with promethazine, FlowTuss\* (hydrocodone bitartrate, guaifenesin), Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin), Hydromet (hydrocodone bitartrate, homatropine), Obredon\* (hydrocodone bitartrate, guaifenesin), TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex), Tussigon (hydrocodone bitartrate, homatropine), Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine), Tuxarin ER, Tuzistra XR (codeine, chlorpheniramine), Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)

\* Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

## Appendix 1 - List of Serotonergic Medications

### Selective Serotonin Reuptake Inhibitors (SSRIs)

paroxetine	Paxil, Paxil CR, Pexeva, Brisdelle
fluvoxamine	Luvox, Luvox CR
fluoxetine	Prozac, Prozac Weekly, Sarafem, Selfemra, Symbyax
sertraline	Zoloft
citalopram	Celexa
escitalopram	Lexapro

### Serotonin-Norepinephrine Reuptake Inhibitors (SNRIs)

venlafaxine	Effexor XR
desvenlafaxine	Pristiq, Khedezla
duloxetine	Cymbalta
milnacipran	Savella

### Tricyclic Antidepressants (TCAs)

amitriptyline	No brand name currently marketed
desipramine	Norpramin
clomipramine	Anafranil
imipramine	Tofranil, Tofranil PM
nortriptyline	Pamelor, Aventyl
protriptyline	Vivactil
doxepin	Zonalon, Silenor
trimipramine	Surmontil

### Monoamine Oxidase Inhibitors (MAOIs)

isocarboxazid	Marplan
phenelzine	Nardil
selegiline	Emsam, Eldepryl, Zelapar
tranylcypromine	Parnate

### Other Psychiatric Medicines

## OPIOID COUGH MEDICATIONS

Codeine with phenylephrine and promethazine, Codeine with promethazine, FlowTuss\* (hydrocodone bitartrate, guaifenesin), Hycofenix (hydrocodone bitartrate, pseudoephedrine, guaifenesin), Hydromet (hydrocodone bitartrate, homatropine), Obredon\* (hydrocodone bitartrate, guaifenesin), TussiCaps (hydrocodone polistirex, chlorpheniramine polistirex), Tussigon (hydrocodone bitartrate, homatropine), Tussionex Pennkinetic (hydrocodone bitartrate, chlorpheniramine), Tuxarin ER, Tuzistra XR (codeine, chlorpheniramine), Zutripro (hydrocodone bitartrate, pseudoephedrine, chlorpheniramine)

\* Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

amoxapine	No brand name currently marketed
maprotiline	No brand name currently marketed
nefazodone	No brand name currently marketed
trazodone	Olepto
bupirone	No brand name currently marketed
vilazodone	Viibryd
mirtazapine	Remeron, Remeron Soltab
lithium	Lithobid

### Migraine Medicines

almotriptan	Axert
frovatriptan	Frova
naratriptan	Amerge
rizatriptan	Maxalt, Maxalt-MLT
sumatriptan	Imitrex, Imitrex Statdose, Alsuma, Sumavel Dosepro, Zecuity, Treximet
zolmitriptan	Zomig, Zomig-ZMT

### Antiemetics

ondansetron	Zofran, Zofran ODT, Zuplenz
granisetron	Kytril, Sancuso
dolasetron	Anzemet
palonosetron	Aloxi

### Other Serotonergic Medicines

dextromethorphan	Bromfed-DM, Delsym, Mucinex DM, Nuedexta
linezolid	Zyvox
cyclobenzaprine	Amrix
methylene blue	
St. John's wort	
tryptophan	

## ORAL RINSES

(Aquoral, Bocasal, Caphosol, (tablet & solution), Episil, Gelclair, Gelx, Mucotrol, Mugard, Neutrasal, Numoisyn, Oramagicrx, Salicept, SalivaMax, SalivateRx)

### Pre - PA Allowance

None

---

### Prior-Approval Requirements

#### Diagnoses

The patient must have **ONE** of the following:

1. Mucositis/stomatitis secondary to chemotherapy or radiation
2. Xerostomia secondary to chemotherapy or radiation
3. Sjogren's syndrome

**AND** the following:

1. Inadequate response to **TWO** of the following:
  - a. Over-the-counter oral anesthetics
  - b. Prescription oral anesthetics
  - c. Saliva substitutes
  - d. Magic mouthwash

### Prior - Approval Limits

Duration 12 months

---

### Prior – Approval *Renewal* Requirements

Same as above

### Prior - Approval *Renewal* Limits

Same as above



## **TEMODAR CAPSULES (temozolomide)**

Temodar injection is not included in this policy

### **Pre - PA Allowance**

None

---

### **Prior-Approval Requirements**

#### **Diagnoses**

Patient must have **ONE** of the following:

1. Glioblastoma multiforme (GBM)
2. Astrocytoma

**AND** the following for **ALL** diagnoses:

- a. Patient **MUST** have tried the preferred product (generic Temodar: temozolomide) unless the patient has a valid medical exception (e.g. inadequate treatment response, intolerance, contraindication)

### **Prior - Approval Limits**

**Duration** 12 months

---

### **Prior – Approval *Renewal* Requirements**

Same as above

### **Prior - Approval *Renewal* Limits**

Same as above

**UPNEEQ**  
**(oxymetazoline hydrochloride ophthalmic solution)**

## **Pre - PA Allowance**

None

---

## **Prior-Approval Requirements**

**Age** 18 years of age or older

### **Diagnosis**

Patient must have **ALL** of the following:

1. Acquired blepharoptosis (droopy eyelid)
  - a. Condition impairs the visual field
  - b. Prescribed by or recommended by an ophthalmologist
  - c. Prescriber agrees to advise the patient of the signs and symptoms of acute angle closure glaucoma and to seek medical care if needed
  - d. **NOT** exclusively for cosmetic use

## **Prior - Approval Limits**

**Quantity** 90 single-use containers

**Duration** 3 months

---

## **Prior – Approval *Renewal* Requirements**

**Age** 18 years of age or older

### **Diagnosis**

Patient must have **ALL** of the following:

1. Acquired blepharoptosis (droopy eyelid)
  - a. Patient has had an improvement in symptoms (e.g. improved field of vision)
  - b. Prescribed by or recommended by an ophthalmologist
  - c. Prescriber agrees to advise the patient of the signs and symptoms of acute angle closure glaucoma and to seek medical care if needed
  - d. **NOT** exclusively for cosmetic use



**BlueCross  
BlueShield**

Federal Employee Program.

**UPNEEQ  
(oxymetazoline hydrochloride ophthalmic solution)**

**Prior - Approval *Renewal* Limits**

**Quantity** 90 single-use containers per 90 days

**Duration** 12 months

**WEIGHT LOSS MEDICATIONS**

**Adipex-P\* (phentermine), Lomaira (phentermine), phentermine  
Benzphetamine  
Contrave (naltrexone and bupropion)  
Diethylpropion  
Phendimetrazine  
Plenity\* (carboxymethylcellulose-cellulose-citric acid)  
Qsymia (phentermine and topiramate extended-release)  
Xenical (orlistat)**

\*Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

**Pre - PA Allowance**

None

---

**Prior-Approval Requirements**

*Prior authorization for \*Adipex-P and \*Plenity applies only to formulary exceptions due to being a non-covered medication.*

**Age**

**17 years of age or older:** \*Adipex-P, Contrave, diethylpropion, Lomaira, phendimetrazine capsules, phentermine, Plenity

**12 years of age or older:** benzphetamine, phendimetrazine tablets, Qsymia, Xenical

**Diagnosis**

Patient must be using for the following:

Chronic weight management

**AND ALL** of the following:

1. Patient has **ONE** of the following:

a. Age 18+, must have **ONE** of the following:

i. Body mass index (BMI)  $\geq 30$  kg/m<sup>2</sup>

ii. Body mass index (BMI)  $\geq 27$  kg/m<sup>2</sup> **AND ONE** of the following:

1. Patient has established cardiovascular disease (e.g., congenital heart disease, cerebrovascular disease, peripheral artery disease, coronary heart disease, acute coronary syndrome (ACS), myocardial infarction (MI), unstable angina, coronary or other arterial revascularization, or prior percutaneous coronary intervention/coronary bypass surgery)

### WEIGHT LOSS MEDICATIONS

**Adipex-P\* (phentermine), Lomaira (phentermine), phentermine**  
**Benzphetamine**  
**Contrave (naltrexone and bupropion)**  
**Diethylpropion**  
**Phendimetrazine**  
**Plenity\* (carboxymethylcellulose-cellulose-citric acid)**  
**Qsymia (phentermine and topiramate extended-release)**  
**Xenical (orlistat)**

\*Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

2. Patient has at least one weight related comorbid condition (e.g., type 2 diabetes mellitus, dyslipidemia, or hypertension)
  - b. Age 12-17 **ONLY**: Body mass index (BMI)  $\geq 95^{\text{th}}$  percentile for their age
2. Patient has participated in a comprehensive weight management program (e.g. Teledoc or another weight loss program)
3. **NO** dual therapy with another Prior Authorization (PA) medication for weight loss (see Appendix 1)

## Prior - Approval Limits

### Quantity

Medication	Quantity Limit
Benzphetamine	270 tablets per 90 days <b>OR</b>
Contrave	360 tablets per 90 days <b>OR</b>
Diethylpropion 25mg	270 tablets per 90 days <b>OR</b>
Diethylpropion 75mg	90 tablets per 90 days <b>OR</b>
Lomaira	270 tablets per 90 days <b>OR</b>
Phendimetrazine 35mg	270 tablets per 90 days <b>OR</b>
Phendimetrazine 105mg	90 capsules per 90 days <b>OR</b>
Phentermine	90 units per 90 days <b>OR</b>
Qsymia	90 capsules per 90 days <b>OR</b>
Xenical	270 capsules per 90 days <b>OR</b>

Medication <u>with approved formulary exception only</u>	Quantity Limit
Adipex-P	90 units per 90 days <b>OR</b>
Plenity	504 capsules per 84 days

### WEIGHT LOSS MEDICATIONS

**Adipex-P\* (phentermine), Lomaira (phentermine), phentermine  
Benzphetamine  
Contrave (naltrexone and bupropion)  
Diethylpropion  
Phendimetrazine  
Plenity\* (carboxymethylcellulose-cellulose-citric acid)  
Qsymia (phentermine and topiramate extended-release)  
Xenical (orlistat)**

\*Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

**Duration**     6 months

## Prior – Approval *Renewal* Requirements

*Prior authorization for \*Adipex-P and \*Plenity applies only to formulary exceptions due to being a non-covered medication.*

### Age

**17 years of age or older:** \*Adipex-P, Contrave, diethylpropion, Lomaira, phendimetrazine capsules, phentermine, Plenity

**12 years of age or older:** benzphetamine, phendimetrazine tablets, Qsymia, Xenical

### Diagnosis

Patient must be using for the following:

Chronic weight management

**AND ALL** of the following:

1. Age 18+ **ONLY:** Patient has maintained at least a 5% reduction in BMI
2. Age 12-17 **ONLY:** Patient has maintained clinically significant weight loss
3. Patient has participated in a comprehensive weight management program (e.g. Teledoc or another weight loss program)
4. **NO** dual therapy with another Prior Authorization (PA) medication for weight loss (see Appendix 1)

## Prior - Approval *Renewal* Limits

### Quantity

Medication	Quantity Limit
Benzphetamine	270 tablets per 90 days <b>OR</b>
Contrave	360 tablets per 90 days <b>OR</b>

**WEIGHT LOSS MEDICATIONS**

**Adipex-P\* (phentermine), Lomaira (phentermine), phentermine  
 Benzphetamine  
 Contrave (naltrexone and bupropion)  
 Diethylpropion  
 Phendimetrazine  
 Plenity\* (carboxymethylcellulose-cellulose-citric acid)  
 Qsymia (phentermine and topiramate extended-release)  
 Xenical (orlistat)**

\*Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

Diethylpropion 25mg	270 tablets per 90 days <b>OR</b>
Diethylpropion 75mg	90 tablets per 90 days <b>OR</b>
Lomaira	270 tablets per 90 days <b>OR</b>
Phendimetrazine 35mg	270 tablets per 90 days <b>OR</b>
Phendimetrazine 105mg	90 capsules per 90 days <b>OR</b>
Phentermine	90 units per 90 days <b>OR</b>
Qsymia	90 capsules per 90 days <b>OR</b>
Xenical	270 capsules per 90 days <b>OR</b>

Medication <u>with approved formulary exception only</u>	Quantity Limit
Adipex-P	90 units per 90 days <b>OR</b>
Plenity	504 capsules per 84 days

**Duration**    12 months

### WEIGHT LOSS MEDICATIONS

**Adipex-P\* (phentermine), Lomaira (phentermine), phentermine**  
**Benzphetamine**  
**Contrave (naltrexone and bupropion)**  
**Diethylpropion**  
**Phendimetrazine**  
**Plenity\* (carboxymethylcellulose-cellulose-citric acid)**  
**Qsymia (phentermine and topiramate extended-release)**  
**Xenical (orlistat)**

\*Prior authorization for the brand formulation applies only to formulary exceptions due to being a non-covered medication.

#### Appendix 1 - List of PA Weight Loss Medications

Generic Name	Brand Name
benzphetamine	N/A
carboxymethylcellulose-cellulose-citric acid	Plenity
diethylpropion	N/A
liraglutide	Saxenda
naltrexone/bupropion	Contrave
orlistat	Xenical
phendimetrazine	N/A
phentermine	Adipex-P/Lomaira
phentermine/topiramate ER	Qsymia
semaglutide	Wegovy
setmelanotide	Imcivree
tirzepatide	Zepbound



**SAXENDA (liraglutide)  
WEGOVY (semaglutide)**

## Pre - PA Allowance

None

---

## Prior-Approval Requirements

**Age** 12 years of age or older

### Diagnosis

Patient must be using for the following:

Chronic weight management

**AND ALL** of the following:

1. Patient has **ONE** of the following:
  - a. Age 18+, must have **ONE** of the following:
    - i. Body mass index (BMI)  $\geq 30$  kg/m<sup>2</sup>
    - ii. Body mass index (BMI)  $\geq 27$  kg/m<sup>2</sup> **AND ONE** of the following:
      1. Patient has established cardiovascular disease (e.g., congenital heart disease, cerebrovascular disease, peripheral artery disease, coronary heart disease, acute coronary syndrome (ACS), myocardial infarction (MI), unstable angina, coronary or other arterial revascularization, or prior percutaneous coronary intervention/coronary bypass surgery)
      2. Patient has at least one weight related comorbid condition (e.g., type 2 diabetes mellitus, dyslipidemia, or hypertension)
  - b. Age 12-17 **ONLY**: Body mass index (BMI)  $\geq 95^{\text{th}}$  percentile for their age
2. Patient has participated in a comprehensive weight management program (e.g. Teledoc or another weight loss program)
3. **NO** dual therapy with other glucagon-like peptide-1 (GLP-1) receptor agonists (see Appendix 1)
4. **NO** dual therapy with another Prior Authorization (PA) medication for weight loss (see Appendix 2)

## Prior - Approval Limits

**Quantity**

**SAXENDA (liraglutide)  
WEGOVY (semaglutide)**

Medication	Quantity Limit
Saxenda	15 pre-filled pens per 90 days <b>OR</b>
Wegovy	12 single-dose pens per 84 days

**Duration** 6 months

## Prior – Approval *Renewal* Requirements

**Age** 12 years of age or older

### Diagnosis

Patient must be using for the following:

Chronic weight management

**AND ALL** of the following:

1. Age 18+ **ONLY**: The patient has lost at least 5 percent of baseline body weight **OR** the patient has continued to maintain their initial 5 percent weight loss
2. Age 12-17 **ONLY**: Patient has maintained clinically significant weight loss
3. Patient has participated in a comprehensive weight management program (e.g. Teledoc or another weight loss program)
4. **NO** dual therapy with other glucagon-like peptide-1 (GLP-1) receptor agonists (See Appendix 1)
5. **NO** dual therapy with another Prior Authorization (PA) medication for weight loss (see Appendix 2)

## Prior - Approval *Renewal* Limits

### Quantity

Medication	Quantity Limit
Saxenda	15 pre-filled pens per 90 days <b>OR</b>
Wegovy	12 single-dose pens per 84 days

**Duration** 12 months

**SAXENDA (liraglutide)  
WEGOVY (semaglutide)**

**Appendix 1 - List of GLP-1 Agonist Medications**

Generic Name	Brand Name
dulaglutide	Trulicity
exenatide	Byetta
exenatide	Bydureon, Bydureon BCise
liraglutide	Saxenda
liraglutide	Victoza
liraglutide and insulin degludec	Xultophy
lixisenatide	Adlyxin
lixisenatide and insulin glargine	Soliqua
semaglutide	Ozempic
semaglutide	Rybelsus
semaglutide	Wegovy
tirzepatide	Mounjaro
tirzepatide	Zepbound

**Appendix 2 - List of PA Weight Loss Medications**

Generic Name	Brand Name
benzphetamine	N/A
carboxymethylcellulose-cellulose-citric acid	Plenity
diethylpropion	N/A
liraglutide	Saxenda
naltrexone/bupropion	Contrave
orlistat	Xenical
phendimetrazine	N/A
phentermine	Adipxex-P/Lomaira
phentermine/topiramate ER	Qsymia
semaglutide	Wegovy
setmelanotide	Imcivree
tirzepatide	Zepbound

**XELODA  
(capecitabine)**

**Pre - PA Allowance**

None

---

**Prior-Approval Requirements**

**Diagnoses**

Patient must have **ONE** of the following:

1. Colon cancer
2. Rectal cancer
3. Colorectal cancer
4. Breast cancer
5. Gastric, esophageal, or gastroesophageal junction cancer
6. Pancreatic cancer

**AND** the following for **ALL** diagnoses:

- a. Patient **MUST** have tried the preferred product (generic Xeloda: capecitabine) unless the patient has a valid medical exception (e.g. inadequate treatment response, intolerance, contraindication)

**Prior - Approval Limits**

**Duration** 12 months

---

**Prior – Approval *Renewal* Requirements**

Same as above

**Prior - Approval *Renewal* Limits**

Same as above